



دانشگاه علوم پزشکی  
و خدمات بهداشتی درمانی تهران



---

برخی از مقالات چاپ شده  
گروه حشره شناسی پزشکی  
طی سال های 1947 تا 2000

---



2021  
گرد آوری  
مژگان بنی اردلانی

برخی از مقالات چاپ شده حشره شناسی پزشکی، طی سال های 1947 تا 2000

| Paper ID | PaperTitle  | Author Name                 | Issue Date | Issue  |
|----------|---|-----------------------------|------------|--|
| 1.       | Presence in Iran D. <i>Ornithodoros Erraticus</i> (Lueus 1849).   | Delpy . l                   | 1947       | Bull. Soc. Path. Exot. 40: 90-5                        |
| 2.       | Contribution to the fauna of sandflies in northern Iran .   | Pervomaniski , G.S.         | 1948       | Epidemiol.ParasitolExped .Iran Akad,Nauk.USSR,P239.    |
| 3.       | Contribution a l'etude des formes humides de leishmaniose cutanee.  | Ansari.N &Gh .Mofidi.       | 1950       | Bull.Soc.Path.Exot.43,pp. 601-607.                     |
| 4.       | Studies on visceral leishmaniasis in the Caspian area   | Pouya. Y                    | 1950       | J.Med.Fac.Tehran,7,p.35 5                              |
| 5.       | <i>Ornithodoros tartakovsky</i> , Oloenev. 1931 et <i>Borrelia Latychevi</i> .  | Baltazard M., et al         | 1952       | Sofiev 1941, Ann. Parasit. Um. Comp. 27 (31): 328      |
| 6.       | Leishmaniose cutanee a <i>L.tropica</i> chez <i>Rhombomys opimus</i>  | Ansari, N., M. A. Faghhih   | 1953       | Ann .parasit.Hum comp.28,pp.241-246                    |
| 7.       | Kala-azar aux environs de Tehran  | Eghbal, M .et al            | 1955       | Sem.Hop.Paris, 31,pp.203-206                           |
| 8.       | Some Phlebotominae from Iran  | Lewis .D . J                | 1957       | Ann. Mag. Nat. Hist. 10:689                            |
| 9.       | Leishmaniose cutanee a <i>L.tropica</i> chez <i>Rh.opimus</i> ,   | Ansari ,N., and Faghhih, M. | 1958       | Ann. parasit.HM. and Comp. 28:241-246.                 |
| 10.      | Further Studies of Anopheline Susceptibility to Insecticides in Iran, Results of Bosvine and Nash Method.                             | Mofidi, Ch., et al          | 1958       | Inst. Parasitol. Malariol., Tehran,Iran. Publ. 585     |
| 11.      | Tabanidae (Diptera) of Iran I. A review of literature.  | Abbassian-Lintzen. R        | 1960       | Arch. Inst, 12, 19-23                                  |
| 12.      | A Preliminary list of ticks (Acarina, Ixodidae) Occuring in Iran and Distributional Data.   | Abbassian L                 | 1960       | Acarologia. 2 add 6: 43-61                             |
| 13.      | Resistance of <i>Anopheles stephensi</i> to Dieldrin in Iran  | Mofidi, CH. and Samimi, B   | 1960       | Inst. Parasitol. Malariol.,Tehran, Iran. Publ. 650.3-4 |
| 14.      | Observations on Phlebotomine Sandflies in Iran,   | Lewis D.J. et al            | 1961       | Bull.Worl. Hlth. Org. 25:203                           |
| 15.      | Comparative village scale trials for the evaluation of Fenthion, carbamate (CMS-33) and Malathion in Shabankareh area, southern Iran. | Javadian, E. & Motabar, M.  | 1963       | Interim Report   |
| 16.      | On the phlebotominae of Iran  | Theodor. O & Mesghali A     | 1964       | Journal of Medical Entomology ,1 pp.258-300.(1964)     |

|     |  |                               |      |   |
|-----|--|-------------------------------|------|---|
| 17. | Phlebotominae (Diptera) of Iran. II-studies on sandflies in the province of Fars (South Iran)  | Mesghali . A                  | 1965 | Bull. Soc. Path. exot. 56 (5) : 1970-1082           |
| 18. | Phlebotominae (Diptera) of Iran. III-studies on sand flies in the areas of Bandar-Abbas and Jask   | Mesghali . A                  | 1965 | Bull. Soc. Path. exot. 58 259-276                   |
| 19. | Epidemiology of cutaneous leishmaniasis in iran ,B.khorassan,part v ,report on a focus of zoonotic cutaneous leishmaniasis in Esferayen.           | Javadian ,E. et al            | 1967 | Bull.Soc.Path.Exot,69,pp. 140-143                   |
| 20. | Epidemiology of cutaneous leishmaniasis in Iran,part 2 , Natural leptomonad infection in sandflies in mashad,lotfabad area.                        | Mesghali, A. et all           | 1967 | 1967  |
| 21. | Epidemiology of cutaneous leishmaniasis in Iran B.Khorassan area part II -Natural leptomonad infection of sandflies in mashhad and lotf abad aras. | Mesghali A. et al.            | 1967 | Bull. Soc .Path, Exot, 60: 514-517.                 |
| 22. | Epidemiology of Cutaneous Leishmaniasis in Iran ,B . Korassan , part V , Report on a focus of Zoonotic C.L in Esferayen.                           | Javadian E , et al            | 1967 | Bull.Soc. Path .Exoth , 96 :140 -3                  |
| 23. | Epidemiology of Cutaneous Leishmaniasis in Iran, B. Khorassan Area. Part I: The Reservoirs   | Seyedi Rashti MA. and Nadim A | 1967 | Bull Soc. Pathol. Exot., 60: 510-518                |
| 24. | Redescription of the female of P.kazeruni with some notes on the speicesin Iran .  | Nadim, A.& Mesghali,A.        | 1968 | J.Nat. Hits.2: 239 -240                             |
| 25. | <i>Hyalomma asiaticum</i> Schulze and Schlotke: Its Distribution, Hosts, Seasonal Activity, Life Cycle in Iran                                     | Mazlum Z                      | 1968 | Acarologia, Vol. 10: 437-42                         |
| 26. | The Epidemiolgy of cutaneous leishmaniasis in Isfahan Province of Iran , I ,The reservoir . II ,The Human Disease.                                 | Nadim, A .& M.A.Faghih        | 1968 | Trns.of the .Roy. Soy of trop.Med &Hyg.62-pp534-543 |
| 27. | The Epidemiology of cutaneous leishmaniasis in isfahan province of Iran,III,The vector.  | Nadim, A .et al               | 1968 | Tran.roy.soc.trop.med.&hyg62,pp.543-549,            |
| 28. | Epidemiology of cutaneous leishmaniasis in Turkeman sahara, Iran .   | Nadim , A . et al.            | 1968 | J.Trop . Med . Hyg . 71: 238-239.                   |

|     |  |                                 |      |   |
|-----|--|---------------------------------|------|---|
| 29. | On the nature of leptomonads found in <i>Sergentomyia sintoni</i> in khorassan , Iran and their relation to lizard leishmaniasis . | Nadim , A.et al.                | 1968 | J. Trop .Med .Hyg. 71:240.  |
| 30. | Canine viseral leishmaniasis in Tehran   | Mobedi, I., et al               | 1968 | Proc.8th Int.Conger.Trop.Med. Malaria,p .1187,  |
| 31. | On the nature of leptomonads found in <i>Sergentomyia sintoni</i> in khorasan and their relation to lizard leishmaniasis.          | Nadim ,A, et al                 | 1968 | J. Trop . Med .Hyg. , 71,p 240,.  |
| 32. | Epidemiology of cutaneous leishmaniasis in Turkemansahra,Iran  | Nadim , A. et al                | 1968 | Journal of trop.med &Hyg,71 ,pp 238-239   |
| 33. | Visceral leishmaniasis in children in southern Iran  | Tahernia , A . C.& T .Jalayer   | 1968 | Ann.Trop.Med.Parasitol. 62,pp.171-173(1968)   |
| 34. | The Epidemiology of Cutaneous Leishmaniasis in the Isfahan Province of Iran. I. The Reservior. II. The Human Disease.              | Nadim A, & Faghiih, M           | 1968 | The Epidemiology of Cutaneous Leishmaniasis in the Isfahan Province of Iran. I. The Reservior. II. The Human Disease. |
| 35. | Epidemiology of Cutaneous Leishmaniasis in the Isfahan Province of Iran. III. The Vector   | Nadim A., et al                 | 1968 | Epidemiology of Cutaneous Leishmaniasis in the Isfahan Province of Iran. III. The Vector                              |
| 36. | Cases of kala-azar sen in mashed   | Yaghmai. H                      | 1969 | Isfahan university , December 1969(unpublished)   |
| 37. | A new species of phlebotomus from Baluchistan,Iran.  | Seyedi-Rashti,M.A, & Nadim, A.  | 1970 | J.Nat. Hits., 4 : 145-147.  |
| 38. | Further report on lizard leishmaniasis in the Northern part of Iran .  | Seyedi Rashti, et al.           | 1971 | J.Trop. Med.and Hyg. 74: 70-71.   |
| 39. | Epidemiology of cutaneous leishmaniasis in Iran . B.Khorassan ,part 4.Distribution of sandflies                                    | Nadim, A, et all                | 1971 | Bull. Soc Path .Exot. 62,pp.861-870,(1971).   |
| 40. | A brief review of the epidemiology of various types of leishmaniasis in Iran .   | Nadim A. , Seyedi rashti , M.A. | 1971 | Acta Medica Iranica, 14 :99-106.  |
| 41. | The immunological relationship between <i>Leishmania tropica</i> (Major) and reptilian leishmaniasis                               | Edrissian, G. H., et al         | 1971 | Parasitologica, 13, p. 413  |
| 42. | Studies on the irritability of a field population of <i>Anopheles maculipennis</i> and <i>Anopheles Iran</i>                       | Eshghy N                        | 1972 | Iranian J. Publ. Hlth. 1, 9-19  |

|     |  |                                  |      |  |
|-----|--|----------------------------------|------|--|
| 43. | The Use of Macfadyen's technique for the Collection of Sandfly Larvae  | Seyedi-Rashti, M.A. and Nadim, A | 1972 | Bull. Soc. Path. Exot. 65 (6): 881-884             |
| 44. | A Large-scale Malathion Trial in the Bandar-Abbas Area.  | A.V. Mnouchehri, et al           | 1972 | Vol. 1, No. 2. PP. 60-68. Iranian S. Public Health |
| 45. | Laboratory diagnosis and electron microscopic study of kala-azar in Iran   | Daneshbod , K.                   | 1973 | Proc.9th Int .Conger.Trop.Med.Malari a,2,p.137     |
| 46. | Natural Leptomonad Infection of Sandflies, with its First Occurrence in <i>Ph. Alexandri</i> in Khuzestan Province, Iran . | Javadian, E. et al               | 1973 | Bull. Soc. Path. exot. 58 259-276                  |
| 47. | Collection of sandflies larvae from rodent burrows in Ahwaz, khuzestan .   | Javadian, E. et al               | 1974 | Iranian journal of public health, 3, p.165         |
| 48. | Present status of the susceptibility level of Anophelina mosquito to insecticides in Iran .                                | Manouchehri ,A.V. et al          | 1974 | J . Ento . Soc .of Iran                            |
| 49. | Studies on cutaneous leishmaniasis in khuzestan , Iran ,part I, The leptomonad infection of sandflies.                     | Javadian, E.& A.Mesghali         | 1974 | Bull. Soc.Path..Exot.67,pp.513 -516,(1974)         |
| 50. | Malathion Susceptibility test of <i>An.stephensi mysoarinsis</i> in Southern Iran.   | Manouchehri, A.V., et al         | 1974 | Mosquito News 34: 440-442                          |
| 51. | Treatment of cutaneous leishmaniasis with cycloguanile pomate  | Ardehali, M                      | 1974 | Internatioinal Jour. of Dermatology, 13, pp. 26-28 |
| 52. | Resistance of <i>Anopheles culicifacies</i> Giles to DDT in Baluchestan Province, Southern Iran                            | Manouchehri, A.V., et al         | 1974 | Mosq. News 35: 314-316                             |
| 53. | Lizard leishmaniasis in Iran .   | Nadim, A . et al.                | 1975 | Iranian J ., publ. Health 4 : 84-85.               |
| 54. | Notes on the ecology of <i>Anopheles dthali</i> patton in southern Iran  | Manouchehri, A.V. & Rohani, F    | 1975 | Annals of trop. Med. and paras., 69: 393-397       |
| 55. | Studies on cutaneous leishmaniasis in khuzestan ,iran part II,The status of sandflies .                                    | Javadian , E & A Nadim           | 1975 | Bull.Soc.Path.Exot., 68 pp.467-471,(1975).         |
| 56. | Studies on cutaneous leishmaniasis in khuzestan province southwest of Iran.  | Javadian , E .& A.,Nadim         | 1975 | Sec.congress of Ag.med &Rur.Hlth.2-24Apr,1945      |
| 57. | Check list of phlebotomine sandflies (Diptera:Psychodidae) of Iran.  | Javadian,E & A.Mesghal           | 1975 | bull. soc path.Exot. 68,pp.307-30                  |
| 58. | Survey of 24 Cases of Kala Azar in Central Parts of Iran.  | Tabatabaaii. M., et al           | 1975 | Iranian Journal of Public Health 4: 142-148        |

|     |  |                                |      |  |
|-----|--|--------------------------------|------|--|
| 59. | Malaria and its control in Iran.   | Motabar M, et al               | 1975 | Trop Geogr Med, 27: 71-8                           |
| 60. | Malaria and its cntrol in Iran   | Motabar.M et al                | 1975 | TROP.Geogr.Med ,27:71-8                            |
| 61. | Ecology of Anopheles stephensi liston in southern Iran   | Mannouchehri. AV ,Javadian.E   | 1976 | TROP.Geogr.Med ,28:223-8                           |
| 62. | Biological feature of Anopheles fluviatilis and its role in the transmission of Malaria in Iran                | Eshghi.N et al                 | 1976 | Trop.geogr.Med 28:41-44                            |
| 63. | the operational implication of resistance of malaria vectors in Iran   | Janbakhsh.B , Manouchehri. A.V | 1976 | Bulletin de la societe de pathologie Exotique      |
| 64. | Key for species identification of sandflies(phlebotominae:Diptera ) of Iran                                    | Nadim, A. & E.Javadian.        | 1976 | iranian journal of public health ,5,pp.33-44,(197  |
| 65. | Studies on the Resistanace of <i>Anopheles stephensi</i> to Malathion in Bandar Abbas, Iran.                   | Manouchehri, A.V., et al       | 1976 | Mosq. News 36: 320-332                             |
| 66. | The present status of insecticide resistance in vector Anopheline mosquitoes in Iran.                          | Janbakhsh, B. , et al          | 1976 | Mosquito News 36: 30--36                           |
| 67. | Labratory experiments on the irritability of Anopheles atroparvus and Anopheles Stephensi to DDT.              | Eshghy, N. & Laarman, J.J      | 1977 | Iranian J. Publ. Hlth. 6, 12-23                    |
| 68. | <i>Psorophora horrida</i> in Michigan  | Zaim, M. et al                 | 1977 | Mosquito News 37:763                               |
| 69. | The biting activity of Anopheles stephensi in two iranian villages sprayed with Organo phosphorus insecticides | Eshghi.N, janbakhsh.B          | 1977 | Mosquitos news 27:756-9                            |
| 70. | THE ticks of sporadic cases of relapsing fever in kazeroon area ,southern , Iran                               | Janbakhsh.B, Ardalan A         | 1977 | Bull.soc.path.exot70:587-9                         |
| 71. | Studies on the epidemiology of sand-fly fever in Iran.1 Virus isolates obtained from phlebotomus.              | Tesh,.R.B. et al               | 1977 | Am.J.Trop.Med.Hyg. 26:282-287.                     |
| 72. | The Ticks of Sporadic Cases of Relapsing Fever in Kazeroon Area, Southern, Iran.                               | Janbakhsh B.& Ardalan A.       | 1977 | Bull Soc. Path. Exot. 70: 587-9                    |
| 73. | Differentiation of Aedes triseriatus and Ae. hendersoni based on the surface structure of the egg shell        | Zaim, M. et al                 | 1977 | J. Med. Entomol 14: 489-490                        |
| 74. | ST. Louis Surveillance in Michigan.  | Zaim, M. & Newson H.D          | 1977 | Proceedings of the Entomo. Soci. America 23: 27-28 |

|     |  |                          |      |  |
|-----|--|--------------------------|------|--|
| 75. | Larval development and oviposition behaviour of <i>Aedes triseriatus</i> as affected by varying concentrations of Sodium Chloride and Calcium Nitrate in Water           | Zaim, M. & Newson H.D    | 1977 | Environ. Entomol. 8: 326-329                           |
| 76. | Natural leptomonad infection in sandflies with its first occurrence in <i>Ph. Alexandri</i> in khuzestan province, Iran.   | Javadian, E. et al       | 1977 | Colloques intl. du, CNRS, 1874NO239pp, 803-805; (1977) |
| 77. | Studies on the Epidemiology of Sand Fly Fever in Iran. I: Virus Isolates Obtained from Phlebotomus.  | Tesh R., et al           | 1977 | Am Soc Trop Med Hyg. 26:282-287                        |
| 78. | Studies on the Epidemiology of Sand Fly Fever in Iran. II: the Prevalence of Human and Animal Infection with Five Phlebotomus Fever Virus Serotypes in Isfahan Province. | Saidi S., et al          | 1977 | Am Soc Trop Med Hyg. 26:288-293                        |
| 79. | Studies on the Epidemiology of Sand Fly Fever in Iran: III. Most Feeding of Phlebotomus Papatasi in an Endemic Area of Disease.  | Javadian E., et al       | 1977 | Am Soc Trop Med Hyg. 26: 294-298                       |
| 80. | Isfahan Virus a New Versacanclovirus Infection Humans, Gerbils, and Sand Flies in Iran   | Tesh R., et al           | 1977 | Am Soc Trop Med Hyg. 26: 299-306                       |
| 81. | The biting activity of <i>Anophels stephensi</i> in two Iranian villages spray with Organophosphorus insecticides  | Eshghy N and Janbakhsh B | 1977 | Mosquitos News. 27:756-9                               |
| 82. | Present status of kala-azar  | Nadim, A. et al          | 1978 | Am.J. Trop. Med. H. 27, PP.25-28                       |
| 83. | Immunological feature of kala-azar.  | Rezai, H.R., et al       | 1978 | Amer. j. trop. med & hyg 27(6), pp.1079 - 1083         |
| 84. | Present Status of Kala azar in Iran  | Nadim. A., et al         | 1978 | American Journal of Trop. Med. and Hygine 27: 25-28    |
| 85. | <i>Borrelia Persica</i> and <i>B-baltazardi</i> Sp. Nov. Experimental Pathogenicity for Animal and Comparison of the Ultrastructure.                                     | Karimi Y., et al         | 1979 | Ann. Microbiol. (Inst-Pasteur) 130: 157-68             |
| 86. | Natural infection of the tree hole breeding mosquito <i>Aedes triseriatus</i> with the fungus <i>Funicularius triseriatus</i>  | Zaim, M. et al           | 1979 | J. Invert. Pathol. 34: 199-202                         |
| 87. | Epidemiology of cutaneous leishmaniasis in Afghanistan   | Nadim, A. et al          | 1979 | Bull.Soc. Path. Exot. 72, pp.31-35                     |

|     |   |                                    |      |  |
|-----|---|------------------------------------|------|--|
|     | part I ,Zoonotic cutaneous leishmaniasis.   |                                    |      |  |
| 88. | Cutaneous leishmaniasis in Saudi Arabia :an overview.   | Nadim, A. et al                    | 1979 | Bull. Soc. Path. Exot. 72: 237-244.                |
| 89. | Cutaneous Leishmaniasis   | Dowlati, Y                         | 1979 | Internal Journal of Dermatology, 18, pp. 362-368   |
| 90. | Studies on chronic lupoid leishmaniasis   | Ardehali, S., et al                | 1980 | Annals of Trop. Med. and paras., 74, pp. 439-445   |
| 91. | Studies on chronic (lupoid)Leishmaniasis.   | Ardehali. S .,et al                | 1980 | Annals of tropical med&parasitology,74,pp, 439-445 |
| 92. | Epidemiology of cutaneous leishmaniasis in Afghanistan, Part 2 ,Antroponotic cutaneous leishmaniasis. | Nadim , A. et all                  | 1980 | Bull.Soc.Path.Exot.)                               |
| 93. | Status of leishmaniasis in Iran   | Javadian,E. et al                  | 1980 | W.H.O trvl seminar on leishmaniasis ctl Moscow     |
| 94. | Long term effects of wastewater irrigation on the indigenous mosquito populations                     | Zaim, M. & Newson H.D              | 1980 | Environ. Entomol. 9: 562-566                       |
| 95. | Studies on Chronic Cutaneous Leishmaniasis  | Ardehali S., et al                 | 1980 | Ann. Trop. Med. Parasitol 74: 439-445              |
| 96. | Visceral Leishmaniasis (Kala azar) in Fars Province Iran: Study of 130 Cases                          | Hashemi Nasab. A. Zadeh Shirazi. H | 1980 | Journal of Tropical Med. and Hygine. 83: 119-122   |
| 97. | Resistance of <i>An .stephensi</i> to malathion in the provence of Fars , Southern Iran               | Eshghy N. , et al                  | 1983 | Iranian J . Publ . Hlth , 14:1-8                   |
| 98. | On the occurrence of <i>Culex pseudovishuni</i> in Iran   | Zaim, M. & Cranston, P. S          | 1984 | J. Trop. Med. Parasitol 78: 179                    |
| 99. | Cutaneus leishmaniasis in Baluchistan,Iran  | Seyedi rashti.M.A , Nadim.A        | 1984 | International congress of tropical medicine ,canad |
| 100 | The Minab Dam and its possible health hazards in increasing mosquito transmitted diseases             | Zaim, M. et a                      | 1984 | Iranian J. Public Health 12: 11-24                 |
| 101 | Mosquito fauna of Iran. 1-Aedes   | Zaim, M. et al                     | 1984 | Iranian J. Public Health 13: 3-10                  |
| 102 | Histological Spectrum of Cutaneous Leishmaniasis due to <i>Leishmania Tropica</i>                     | Azadeh B., and Ardehali S          | 1985 | Trans. R. Soc. Trop. Med. Hyg. 79:(5) 631-6        |
| 103 | Checklist and Keys to the Culicinae of Iran (Diptera: Culicidae)                                      | Zaim, M. & Cranston P. S           | 1986 | Mosquito Systematics 18 : 233-245                  |
| 104 | Susceptibility of <i>Anopheles stephensi</i> Liston to <i>Bacillus thuringiensis</i> (H-14)           | Zaim, M. et al                     | 1986 | J. Entomological Society Iran 8: 19-25             |



|     |  |   |      |  |
|-----|--|---|------|--|
| 105 | The effects of <i>Bacillus thuringiensis</i> (H-14) on the anopheline mosquitoes in southern Iran  | Ladoni, H. et al                            | 1986 | J. Entomol. Soc. Iran 8: 45-52                     |
| 106 | The use of CDC light traps and other procedures for sampling malaria vectors in southern Iran  | Zaim, M. et al                              | 1986 | J. Amer. Mosquito Assoc. 2: 511-515                |
| 107 | Mosquito fauna of Iran. 2-Culex  | Zaim, M. et al                              | 1986 | Iranian J. Public Health 14: 1-12                  |
| 108 | Studies on the biology of the mosquitoes in the Minab district, Hormozgan Province, Iran (1983-84)   | Ershadi, M.R.Y. et al                       | 1986 | J. Environ. Studies (Iran): 17-39                  |
| 109 | Mosquito fauna of kashan and their relation to diseases  | Zaim, M                                     | 1987 | Iran Desert Reseach Cr. Sc. Publ. no. 17, 41pp     |
| 110 | Malaria control in Iran- present and future.   | Zaim, M                                     | 1987 | Journal Amer. Mosquito Control Assoc. 3: 392-396   |
| 111 | The distribution and laarval habaitat characterestics of Iranian Culicinae (Diptera:Culicidae)   | Zaim, M                                     | 1987 | Journal American Mosquito Control Assoc.3: 568-573 |
| 112 | Mosquito fauna of Iran. 3-Culiseta, Coquillettidia and Uranotaenia   | Zaim, M. et al                              | 1987 | Iran. J. Public Health 15: 1-9                     |
| 113 | Larvicidal activity of Teknar on mosquito larvae in rice fields of southern Iran   | Motabar, M. et al                           | 1987 | Iranian J. Public Health 15:: 21-29                |
| 114 | Field application of <i>Romanomermis culicivorax</i> to control anopheline larvae in southern Iran   | Zaim, M. et a                               | 1988 | J. Amer. Mosquito Control Assoc. 4: 351-355        |
| 115 | Local production of primary powder of <i>Bacillus thuringiensis</i> serotype H-14 in Iran and determination of its insecticidal properties against <i>Culex pipiens</i> and <i>Anopheles stephensi</i> | Fayaz, F. et al                             | 1988 | Med. J. Islamic Republic Iran. 2: 229-236          |
| 116 | Leishmanization in the Islamic Republic of Iran.   | Nadim. A. Javadian. E                       | 1988 | International Development Research Center. PP: 336 |
| 117 | Propoxur Susceptibility Test of <i>Anopheles stephensi</i> in Southern Islamic Republic of Iran (1976-86).   | Manouchehri, A.V. and Yaghoobi-Ershadi, M.R | 1988 | J. Amer. Mosq. Control Assoc. 4: 159-162           |
| 118 | Control of Zoonotic Cutaneous Leishmaniasis by Mass Leishmanization in Hyperendemic area of Isfahan  | Nadim. A., Javadian, E. et al               | 1988 | M.J. Islamic Republic of Iran. 2 (2): 113-114      |
| 119 | <i>Coelomomyces irani</i> sp. n. infecting <i>Anopheles maculipennis</i> in Iran   | Weiser, J. et al                            | 1990 | J. Invert. Pathol. 57: 290-291                     |

|     |  |                           |      |  |
|-----|--|---------------------------|------|--|
| 120 | Distribution of <i>Ornithodoros erraticus</i> (Argasidae) in west Azerbaijan, Iran, and its role in transmission of relapsing fever                                      | Zaim, M. et al            | 1990 | J. Pasteur Inst. Iran 5, 6: 2-8                  |
| 121 | Analysis of malaria situation in Sistan & Baluchistan Province, Iran, during the past 15 years (1975-1989)   | Zaim, M. et a             | 1991 | Daru va Darman 87: 10-15                         |
| 122 | Occurrence of <i>Anopheles culicifacies</i> species A in Iran  | Zaim, M. & Javaherian Z   | 1991 | J. Amer. Mosquito Control Assoc. 7: 324-326      |
| 123 | A review on malaria situation in Iran  | Manouchehri, A.V. et al   | 1992 | Daru Va Darman 97: 12-17                         |
| 124 | Ophthalmomyiasis in an advanced retinoblastoma   | A.chams et al             | 1992 | A case report. orbit 11: 31-33                   |
| 125 | Efficacy of offlowable concentrate formulation of <i>Bacillus thuringiensis</i> (H <sub>14</sub> ) against larval mosquitoes in southern Iran                            | Zaim M. et all            | 1992 | J. Amer. Mosq. Control Assoc. 8: 156-158         |
| 126 | Ecology of <i>Anopheles pulcherrimus</i> in Baluchistan, Iran  | Zaim, M. et al            | 1992 | J. Amer. Mosq. Control Assoc. 8: 293-296         |
| 127 | A Review of malaria in Iran, 1975-90   | Manouchehri, A, V. et all | 1992 | J. Amer. Mosq. Control Assoc. 8: 381-385         |
| 128 | Biting behaviour of anopheline mosquitoes in Ghassreghand, Baluchistan, Iran (1990)  | Mowlaii, G. et all        | 1992 | Iranian J. Public Health, 20 : 53-68 (in farsi)  |
| 129 | A Preliminary Report on the Natural Leptomonad Infection of <i>Phlebotomus major</i> in an Endemic Focus of Visceral Leishmaniosis (VL) in Fars Province, South of Iran. | Sahabi Z. et al           | 1992 | Iranian J. Publ. Hlth. Vol. 21, No. 1-4, 87-93   |
| 130 | Genetics and Mechanism of Malathion Resistance in <i>Anopheles stephensi</i> from Bandr-Abbas and its cross-resistance Spectrum to DDT, Dieldrine and Pirimiphos-methyl  | Ladonni H., et al         | 1992 | Iranian. J. Publ. Health 21(1-4): 39-52          |
| 131 | <i>Phlebotomus (Larrousius) keshishiani</i> Another Vector of Visceral Leishmaniosis in Iran   | Seyedi Rashti MA, et al   | 1993 | Iranian, J. Publ. Hlth. Vol. 25, Nos. 1-2, 25-30 |
| 132 | Role of <i>Anopheles culicifacies</i> s.l. and <i>An. pulcherrimus</i> in malaria transmission in Ghassreghand (Baluchistan), Iran                                       | Zaim, M. et all           | 1993 | J. Amer. Mosq. Control Assoc. 9: 23-26.          |
| 133 | Review of malaria and it's control problems in Hormozgan Province (1975-90)  | Iranpour, M. et al        | 1993 | Daru va Darman 10(3) : 6-12                      |

|     |  |                                      |      |   |
|-----|--|--------------------------------------|------|---|
| 134 | Survival rates of <i>Anopheles culicifacies</i> s.l. and <i>An.pulcherrimus</i> in sprayed and unsprayed villages in Ghassreghand District, Baluchistan, Iran 1991.  | Zaim, M.et all                       | 1993 | J. Am. Mosq .Control Assoc. 9: 421-425            |
| 135 | Ecology of <i>Anopheles culisifacies</i> s.l.in Baluchistan, Iran.   | Zaim, M. et all                      | 1993 | Med. Ved. Entomol. (in press)                     |
| 136 | Survivorship of the immature stages of <i>Anopheles culicifacies</i> in Daman District , Baluchistan, Iran.  | Davari ,B.et all                     | 1994 | Iran. J . Public Health (In press)                |
| 137 | The Isolation of <i>Leishmania major</i> from <i>Phlebotomus (Paraphlebotomus) Caucasicus</i> in Isfahan Province, Islamic Republic of Iran                          | Yaghoobi Ershadi MR., et al          | 1994 | Trans. Roy. Soc. Trop. Med. Hyg. 88:518-519       |
| 138 | <i>Leishmania major</i> MON-26 Isolated from Naturally Infected <i>Phlebotomus papatasi</i> in Isfahan Province, Iran  | Yaghoobi Ershadi MR., et al          | 1995 | Acta Tropica, 59: 279-282                         |
| 139 | <i>Cricetulus migratorius</i> (Gary Hamster), Another Possible Animal Reservoir of Kala-Azar, in Meshkin-Shahr   | Mohebali M., et al                   | 1995 | Iran Journal of Public Health, 24 (3.4) : 31-4    |
| 140 | <i>Anopheles culicifacies</i> in Baluchistan, Iran   | Zaim.M et al                         | 1995 | Med.vet.Entomol,9:181-6                           |
| 141 | <i>Meriones libycus</i> and <i>Rhombomys opimus</i> (Rhodentia: Gerbillidae) are the main reservoir hosts in a new Focus of Zoonotic Cutaneous Leishmaniasis in Iran | Yaghoobi Ershadi MR, et al           | 1996 | Trans. Roy. Soc. Trop. Med. HYg. 90(5): 503-504   |
| 142 | Natural Promastigote Infection of Sand-flies with Its First Occurrence in <i>Sergentomia dentata</i> in Ardabil Province, Northwest of Iran                          | Rasii Y. et al                       | 1997 | Iranian, J. Publ. Hlth. Vol. 26, Nos. 1-2, 7-12   |
| 143 | Studies on Sandflies in a Hyperendemic Area of Zoonotic Cutaneous Leishmaniasis in Iran  | Yaghoobi Ershadi MR, and Javadian E. | 1997 | Indian J. Med. Research 105: 61-66                |
| 144 | Relative efficacy of synthetic pyrethroid -impregnated fabrics against mosquitoes under laboratory condition   | Ansari M.A., et al                   | 1998 | J. of the Amer. Mosquito Ctl. Ass.. 14(4) 406-409 |
| 145 | Cutaneous leishmaniasis in primary school children in Bam ,Iran  | Sharifi.I et al                      | 1998 | Bull.WHO  |

|     |  |                               |      |                                      |
|-----|--|-------------------------------|------|--------------------------------------|
| 146 | Epidemiology of C.L. in Turkam - Sahra , Iran  | Nadim . A , et al             | 1998 | J . Trop . Med . Hyg , 71 : 238 - 41 |
| 147 | Evaluation of the Effect pf Mosquito age and Prior Exposure to Insecticide on Pyrethroid tolerance in Anopheles Mosquitoes | Hodjati M. H. and Curtis C. F | 1999 | Bull. Entmo. Research 89:329-337     |